

From

The Head
Department of Microbiology
PAU, Ludhiana.

To

The Principal
MLD.Sen. Sec. School
Talwandi Kalan
Ludhiana

Memo. No. 2608
Dated: 22/4/24

Subject: Bacteriological quality of drinking water (IS-10500:1991. BIS New Delhi).

Reference is made to your letter No. MLD/24/1854 dated 19.04.2024 regarding sample of water for bacteriological analysis.

REPORT


S. No.	Source	Coliform organisms		Faecal Coliform / E. coli Detected / Not detected
		Present/ Absent	Most Probable Number index (<10/100ml)	
C1	Water Sample	Absent	--	Not Detected

INFERENCE


Bacteriologically safe :- 01

*Bacteriologically not safe :- nil

Amandeep Singh
Technician
Water Testing Lab
Department of Microbiology
PAU, Ludhiana


Incharge
Water Testing Lab
Department of Microbiology
PAU, Ludhiana

NOTE: This result relates to the sample provided to us and laboratory is not responsible for drawing/collecting of samples. The contents of this report are meant for your guidance and should not be used for Advertisement, Evidence and Litigation. This test document shall not be reproduced without the permission of the University.


Head

Department of Microbiology

*Treatment for non-potable water as per WHO recommendations: Treat 20L of water with 1mL dose of 10% Sodium hypochlorite or 1.8mL dose of 5% Sodium hypochlorite solutions with retention time of 30 Mins. The water must be used within 24 hours of treatment. The solution is available with all the chemical stores



**Punjab Agricultural
University
Ludhiana**
GST IN:
03AAABP0216H1Z7

Invoice

Date: 19-04-2024
Invoice No: IPAUDOMB/2410247

IRN No.:

Billed to:

Customer Name:	MLD SEN SEC SCHOOL		
Customer Address:	TALWANDI KALAN LUDHIANA		
Customer GST No:	Customer Phone:	9814023183	
State Code/Name:	03-Punjab	Place of Supply:	03-Punjab

Shipped to:

Customer Name:			
Customer Address:			
Customer GST No:	Customer Phone:		
State Code/Name:			

S.No.	Product/Service	HSN Code/SAC	SKU	UQC	Price per SKU	Quantity	Total	Discount / Subsidy	CGST	SGST	IGST	CESS	
1	Sample Testing (Microbiology) (Water Sample Testing)(0)	998346	1	NOS-Numbers	100	1	100.00	0	0.00(0.00%)	0.00(0.00%)	0.00(0.00%)	0.00(0%)	
							Total	100.00	0.00				

Sub Total: ₹ 100.00
Discount/Subsidy(-): ₹ 0.00
Taxable Amount: ₹ 100.00
Total GST(+): ₹ 0.00
Total CESS(+): ₹ 0.00

Mode of Payment: cash
Payment details:
Receipt Details:
Receipt No.: R/PAU/DOMB/2420247
Received ₹ One Hundred rupees and paise

Freight or other charges: ₹ 0
Labour charges: ₹ 0
Total Amount: ₹ 100.00
Amount in Words: One Hundred rupees and paise

TERMS & CONDITIONS

- The sold seed/product will not be taken back.
- Weight, no. of products and quality of products can be checked at the time of delivery.
- The rates are inclusive of packing charges, F.O.R. ex-supplying farm.
- The seed is allocated/sold for seed multiplication and not for further sale.
- PAU will not be responsible for any damage to the seed (physical purity & germination) during transportation, heat up during storage etc. after sale. PAU will be only responsible for genetic purity of seed/
- All disputes are subject to Ludhiana jurisdiction only.

CAUTION NOTICE

- The Performance of varieties / seeds sold by PAU shall hold good only when the seeds after purchase are:
- stored under optimum storage conditions.
 - protected from the ill effects of the environment like rain, temperature, humidity etc.
 - protected from storage pests and diseases.
 - grown under optimum conditions.
 - not mixed with other variety seeds during planting of nurseries, transplanting and sowing and minimum isolation distance must be kept to maintain its genetic purity.

Authorized Signatory